

MD2 Dispense Valve For Accurate Two-Component Dispensing

POLY DISPENSING SYSTEMS


DATA SHEET MD2

MD2 Dispense Valve

Ideal for Most Two-Component Dispensing Applications

Designed to accurately dispense and mix plural-component sealants and adhesives

- Minimizes maintenance time and costs while maximizing dispense time
- Designed with fewer parts and is easy to clean
- Streamlines maintenance and service
- Complete modular design adapts to different installation needs
- No unique tools required
- Handles a wide range of materials



DATA SHEET MD2

SPECIFICATIONS

Maximum fluid pressure	207 bar (20.7 MPa, 3000 psi)
Maximum cylinder air pressure	8.4 bar (0.84 MPa, 120 psi)
Minimum air cylinder actuating pressure	2.8 bar (0.3 MPa, 40 psi)
Maximum working fluid temperature	60°C (140°F)
Wetted parts	Stainless steel, carbide, UHMWPE, acetal,
Dimensions	168.7 mm L x 59 mm W x 57 mm D
Fluid inlets	9/16-18 UNF (f) (06 SAE)
Air inlets	1/8 in npt (f)



PDS S.A.S is a french company that commercializes a wide range of dosage equipments, proven and effective.

Distributed in over 20 countries around the world, these equipements provide tailored solutions to many users in order to improve technically their manufacturing and reduce their productions costs.

Our collaborators and sales engineers all have a strong technical competences. They are able to answer your questions and offer you, after analysis, the right solution for your particular need.

FRANCE - SWITZERLAND NORTH AFRICA

Poly Dispensing Systems 122, Chemin de la Cavée 78630 Orgeval FRANCE

***** + 33 (0)1 39 62 40 92 ***** + 33 (0)1 39 62 40 94

BELGIUM- NETHERLANDS LUXEMBOURG

www.polydispensing.com

Gentec Benelux Rue de L'Industrie, 12 B-1400 Nivelles BELGIQUE

***** +32 2 351 1800

+32 2 351 1962 www.gentec-benelux.com

- NON CONTRACTUAL DOCUMENT -

POLY DISPENSING SYSTEMS

SYSTEMES DE DOSAGE INDUSTRIEI